

# Adexa

## COMMERCIAL CHEST FREEZER

---

INSTRUCTION MANUAL:

Index:

---

Transportation and installation

Adjustment and running

Safety precautions

Freezing methods

Trouble shooting

---

- Read carefully before using the freezer
- Keep it for further reference

#### TRANSPORTATION AND INSTALLATION

- 1.Place on level floor and remove the bottom packing, in order to decrease the shock and noise.  
The angle between the compartment body and ground should be no more than 45°
- 2.Enough space should be left between the freezer and the wall for ventilation.
- 3.Place the freezer away from heat source and do not expose to direct sunshine.
- 4.Do not install where there is moisture or where it can easily be splashed by water.
- 5.Do not place the freezer in environment prone to freezing.
- 6.The appliance should not be used in open air and should not be exposed to rain.

#### ADJUSTMENT AND RUNNING

- 1.Adjustment of temperature: The storing temperature can be adjusted by the thermostat of the compartment. The thermostat should be adjusted according to different environment temperature and the food by rotating the knob of the thermostat. The knob rotates clockwise from "1" to "7"(or direction arc)and the inside temperature turns down in summer (anti-clockwise rotation)and up in winter(clockwise rotation). It is usually fixed to a certain point before leaving the factory. Do not adjust too often or touch the other parts.
- 2.Trial running: plug in and wait. The marked drop in temperature within half an hour indicates that the freezer works properly. The compressor should be left to run for a period of time(6 hours in summer 4 hours in winter )before putting the food in.

#### SAFETY PRECAUTIONS

- 1.You should install a suitable automatic voltage regulator not less than 500w.
- 2.The sockets of the freezer should be connected to stable fixed connection. Under no circumstance should the wiring be connected to such facilities as water pipe, gas pipe and so on.
- 3.Once power is cut off ,wait for at least 5 minutes before plugging in again to avoid damaging the compressor or the system.
- 4.Do not put combustible ,explosive or volatile dangerous articles, heavily corrosive acid or alkali of liquid in glassware into

the freezer.

- 5.Children should be kept away from the freezer to avoid damage to the inner container or any accidents being injured.
- 6.If the power cable damages, for avoid dangerous, must by manufactory or its maintain a set or similar profession job the personnel replaces.

#### FREEZING METHODS

- 1.Do not put too much food into the freezer or exceed the loading line.
- 2.proper space should be allowed between foods to ensure cooling air circulation.
- 3.Never use corrosive detergent, hot water, or washing power to clean the freezer.
- 4.Do not use water to scour the freezer. Do not use hard brushes or wire brushes to clean the freezer.
- 5.Do not use metal or sharp tools for defrosting.
- 6.Do not use electric heaters to heat up and defrost.

#### TROUBLE SHOOTING:

The design and production comply with the relative security standard of China. If you find it does not work as usual, please examine and handle it according to the following table first. If the situation does not improve, you must contact our after-sale service center or our special repair division to examine and repair the appliance.

The following problems are not causes of breakdown:

Problems	Causes and resolutions
There is a sound of liquid flowing in the freezer	It is the sound of refrigerant flowing in the circulating pipeline of the refrigerating system. It is normal.
Too noisy	The freezer is not installed in a level ground. Change the position.
The refrigerating system does not work for a long time but the inside temperature is very low.	It is an indicator of high quality for its good insulation and low cooling retention. It is normal.

Trouble	Possibilities		Check up	Solutions	Remarks
Compressor does not work	Power is off	The fuse is broken	Check the fuse	Replace the fuse	If it is necessary please contact after-sales service for repair
		The connection between plug and socket is not good	Check the socket	Repair or replace the socket	
		The circuit of input and output is out of use	Make sure that the power is on	Check the circuit with electric instrument	
	The thermostat knob is not in the proper position		Check the thermostat	Rotate the thermostat to the proper position	Ask for professional help
Compressor Keeps on working	The temperature inside is too high	Frost on the evaporator is too thick	Check whether the frost is thicker than 6-8mm	Defrost regularly	
		The door is being opened too frequently		Reduce the times of opening	
		Too much food has been stored at once		Take out some of The food	
	The temperature Inside is OK	The ambient temperature is too high .while the thermostat indicates a small number	Make sure whether the knob is indicating at the “5-6”(or deeper)	Adjust the thermostat knob	The thermostat Knob on”2-4”is Better(or proper)
		The thermostat does not work		Replace the thermostat	Ask for after-sales service
Too noisy	The floor is not level		Make sure that the Freezer is level	Put pad under the castors	
	The screw in fan or condenser is loose		The screw is loose	Rotate the fixed screw	
	The refrigerating circuits touch catch other			Separate them	

# Adexa Direct Limited

Swift House Cosford Lane, Swift Valley Industrial Estate, Rugby, England, CV21 1QN United Kingdom  
Telephone: 01788 222 410 Email: [support@adexa.co.uk](mailto:support@adexa.co.uk) URL: <https://adexa.co.uk>

## DECLARATION OF CONFORMITY

Equipment Type	Model Number
Commercial Display Chest Freezer	SD451, SD451S, SD451S_GLASSTOP, SD551, SD551S, SD551S_GLASSTOP, SD651, SD651S, SD651S_GLASSTOP

Application of Territory Legislation & Council Directives(s)	<p>This Declaration of Conformity is issued under the sole responsibility of the importer: Adexa Direct Limited.</p> <p>For the object of this declaration, the essential requirements and principal safety objectives have been demonstrated.</p> <p>The object of this declaration conforms to the following statutory requirements and Union harmonisation legislation, and complies with the following harmonised standards:</p> <p>Machinery Directive 2006/42/EC The Supply of Machinery (Safety) Regulations 2008 EN 60335-2-89:2010 + A 1 :2016 + A2:2017 EN 60335-1 :2012 + A11 :2014 + A13:2017 + A1 :2019 + A14:2019 + A2:2019 EN 62233:2008</p> <p>Electro-Magnetic Compatibility (EMC) Directive 2014/30/EU Electromagnetic Compatibility Regulations 2016 EN 55014-1:2017 EN IEC 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 EN 55014-2:2015</p> <p>Ecodesign requirements for energy-related products - Directive 2009/125/EC; (EU) 2017/1369 - Energy Labelling (EU) 2019/2018 - Energy labelling of refrigerating appliances with a direct sales function (EU) 2021/340 - Energy labelling requirements for electronic displays (EU) 2019/2024 - Ecodesign requirements for refrigerating appliances with a direct sales function (EU) No 2021/341 – Regulation amending various ecodesign regulations The Ecodesign for Energy-Related Products and Energy Information Regulations 2021</p> <p>Restriction of Hazardous Substances Directive (RoHS) 2015/863 amending Annex II to Directive 2011/65/EU Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 EN 62321-1:2013 EN 62321-2:2021 EN 62321-3-1:2014 EN 62321-4:2014 /A1 :2017 EN 62321-5:2014 EN 62321-6:2015 EN 62321-7-1:2015 EN 62321-7-2:2017 EN 62321-8:2017</p>
--	--




Adexa Direct Limited

Swift House Cosford Lane, Swift Valley Industrial Estate, Rugby, England, CV21 1QN United Kingdom  
Telephone: 01788 222 410 Email: [support@adexa.co.uk](mailto:support@adexa.co.uk) URL: <https://adexa.co.uk>

Imported By	Adexa Direct Limited
Brand	Adexa
Year of Manufacture	2024

I, the undersigned, hereby declare that the equipment specified above conforms to the above Territory Legislation, Directive(s) and Standard(s).

Date	10.SEP.2024
Signature	
Full Name	Hakan Baykal
Position	Purchase Manager

